

User ID: HPI

RAW DATA MAX VALUES REPORT

Report Request ID: 1732620

Report Code: AMP350MX

Apr. 2, 2019

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
	49			81102							

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
--------------------------	-----------	--------	----------

CRITERIA

SELECTED OPTIONS

Option Type	Option Value
SINGLE EVENT PROCESSING	INCLUDE EVENTS
MERGE PDF FILES	YES
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC

DATE CRITERIA

Start Date	End Date
2018 01 01	2018 12 31

APPLICABLE STANDARDS

Standard Description
CO 8-hour 1971
Lead 3-Month 2009
Lead 3-Month PM10 Surrogate 2009
NO2 Annual 1971
Ozone 8-Hour 2008
PM10 24-hour 2006
PM25 24-hour 2012
SO2 1-hour 2010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 2, 2019

(81102) PM10 Total 0-10um STP

SITE ID: 49-005-0007 POC: 1  
 COUNTY: (005) Cache  
 CITY: (69640) Smithfield  
 SITE ADDRESS: 675 West 220 North  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: RURAL

CAS NUMBER:  
 LATITUDE: 41.842649  
 LONGITUDE: -111.852199  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (127) R - P Co Partisol Model 2025 Gravi

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2018

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE: 4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	18	11	17	13	4	6	15	64	42		8	5
2	22	15	24	11	5	12	23	52	21		11	5
3	29	22	4	6	8	12	29	33	36		8	4
4	40	23	1	11	12	18	28	51	28	4	7	
5	54	6		12	15	20	38	53		4	4	
6	36	4		3	15	22	34	43		6	6	28
7	20	18	20	4	18	31	32	34		6	5	29
8	11	12	43	4	17	34	29	34		7	8	46
9	15	11	44	5	26	45	33	41		6	11	35
10	4	5	13	13	17	17	32	39		3	14	24
11	7	7	9	15	5	19	39	52		6	6	27
12	6	12	12	5	3	16	28	55		8	8	11
13	9	14	14	3	4	28	28	57		10	12	15
14	11	16	8	6	8	36	29	47		3	22	22
15	14	4	2	9	10	26	22	43		8	22	37
16	14	10	3	28	11	21	45	42		12	27	34
17	19	9	3	5	14	17	21	43		10	11	42
18	23	24	2	6	11	10		38		10	5	28
19	8	6	5	11	9	10	32	42		17	11	7
20	3	6	6	15	9	12	37	67		18	13	13
21	7		7	15	15	29	40	66		12	22	12
22	11		14	12	15	16	29	51		11	15	4
23		16	2	12	7	27	27	59		4	2	8
24	29	8	4		13	13	35	70		9	1	15
25	20		2	13	17	17	45	59		9	4	14
26	7	7	3	20	21	28	40	44		9	9	3
27	10	7	4	25	10	26	38	25		12	20	6
28	15	12	9	36	9	37	39	14		10	18	10
29	19		10	15	9	19	36	27		9	9	12
30	18		11	2	13	14	34	36		9		9
31	11		9		15		45	41		7		
NO.:	30	25	29	29	31	30	30	31	4	28	29	28
MAX:	54.	24.	44.	36.	26.	45.	45.	70.	42.	18.	27.	46.
MEAN:	17.0	11.4	10.5	11.6	11.8	21.3	32.7	45.9	31.8	8.5	11.0	18.0
ANNUAL OBSERVATIONS:	324		ANNUAL MEAN:	18.6	ANNUAL MAX:	70.						

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 2, 2019

(81102) PM10 Total 0-10um STP

SITE ID: 49-005-0007 POC: 2  
 COUNTY: (005) Cache  
 CITY: (69640) Smithfield  
 SITE ADDRESS: 675 West 220 North  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (219) UTAH  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: RURAL

CAS NUMBER:  
 LATITUDE: 41.842649  
 LONGITUDE: -111.852199  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (127) R - P Co Partisol Model 2025 Gravi  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2018

DURATION: 24 HOUR  
 UNITS: Micrograms/cubic meter (25 C)  
 MIN DETECTABLE: 4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1		11				7	15					
2	23			13	5							
3			5									
4											7	
5									24	5		
6								44				
7		17				31	29					
8	11			2	17							
9			45									
10											14	24
11									41	6		
12								55				
13		15				28	29					
14	11			7	6							
15			2									
16											25	33
17									41	10		
18								38				
19		6				10	31					
20	4			17	9							
21			7									
22											15	4
23									35	4		
24								71				
25		4				17	43					
26	8			20	21							
27			4									
28											18	10
29									58	9		
30								37				
31							45					
NO.:	5	5	5	5	5	5	6	5	5	5	5	4
MAX:	23.	17.	45.	20.	21.	31.	45.	71.	58.	10.	25.	33.
MEAN:	11.4	10.6	12.6	11.8	11.6	18.6	32.0	49.0	39.8	6.8	15.8	17.8
ANNUAL OBSERVATIONS:		60		ANNUAL MEAN:	20.1	ANNUAL MAX:	71.					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 2, 2019

(81102) PM10 Total 0-10um STP

SITE ID: 49-011-0004 POC: 5  
 COUNTY: (011) Davis  
 CITY: (07690) Bountiful  
 SITE ADDRESS: 171 WEST 1370 NORTH, BOUNTIFUL, UTAH  
 SITE COMMENTS: NEW SITE TO REPLACE 490110001  
 MONITOR COMMENTS: SAMPLING FOR METALS ANALYSIS ONLY.

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.902967  
 LONGITUDE: -111.884467  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1309  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: MULTIPLE METHODS  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2018

DURATION: 24 HOUR  
 UNITS: Micrograms/cubic meter (25 C)  
 MIN DETECTABLE:

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1		20				7	11					
2	40				8							
3												
4									25			
5										4		
6								48				
7		24				9	27					
8	14			6	18							
9			21									
10											19	
11										9		
12								38				
13						26	21					
14	12	38		8	9							
15												
16												
17			5						32	10		
18								19				
19						8	27					
20	5			72								
21			14									
22												
23									20			
24								35				
25						17	33					
26	10			20	15					12		
27		15	7									
28												
29												
30								19				
31							40					
NO.:	5	4	4	4	4	5	6	5	3	4	1	0
MAX:	40.	38.	21.	72.	18.	26.	40.	48.	32.	12.	19.	
MEAN:	16.2	24.3	11.8	26.5	12.5	13.4	26.5	31.8	25.7	8.8	19.0	
ANNUAL OBSERVATIONS:		45		ANNUAL MEAN:	19.9	ANNUAL MAX:	72.					

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 2, 2019

(81102) PM10 Total 0-10um STP

SITE ID: 49-035-3006 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (67000) Salt Lake City  
 SITE ADDRESS: 1675 SOUTH 600 EAST, SALT LAKE CITY  
 SITE COMMENTS:  
 MONITOR COMMENTS: PARTISOL USED TO COLLECT PM-10 DATA.

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.736389  
 LONGITUDE: -111.872222  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1306  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (127) R - P Co Partisol Model 2025 Gravi  
 PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2018

DURATION: 24 HOUR  
 UNITS: Micrograms/cubic meter (25 C)  
 MIN DETECTABLE: 4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	35	30	16	11	6	10	9	35	27	41	14	8
2	37	30	24	20	9	10	21	30	22	17	12	5
3	48	40	14	9	8	12	26	23	21	10	11	
4	69	61	3	16	12	17	26	52	29	7	8	
5	72	20	7	17	13	18	25	39	31	6	15	32
6	58	15	15	9	16	23	41	48	24	9	13	35
7	30	24	30	7	16	19	21	32	23	3	12	49
8	25			7	15	25	21	28	23	4	11	47
9	6		20	8	21	37	17	36	34	5		33
10		15	14	22	19	23	25	49	37	3	23	34
11	6	9	12	25	9	13	22	59	36	11	13	33
12	15		20	8	6	18	18	37	41	16	11	19
13	14	24	23	5	7	33	19	42	48	15	23	23
14	17	32	12	8	11	25	16	33	37	5	40	33
15	25	10	4	13	10	27	14	40	111	12	45	41
16		20	5	101	14	22		27	103	21	45	40
17	37	14	10	5	25	26	15	46	34	10	29	43
18	30	34	4	11	17	12	22	21	26	9	14	48
19	28	5	6	27	8	7	27	32	28	19	29	18
20	3		13	20	14	11	25	29	19	19	15	33
21	9		15	15	14	18	23	25	31	14	20	23
22	25		20	12	11	14	14	17	30	16	8	
23	31	10	5	19	10	16	16	40	20	10	2	
24	34	11	8	12	15	11	23	29	23	13	2	23
25	15	10	7	13	20	18	26	30	27	15	5	13
26	15	19		23	17	22	31	23	22	17	10	4
27	18	20		24	11	32	34	37	25	16	32	
28	19	19	10	30	8	32	30	16	30	16	37	18
29	30		13	14	11	13	25	27	62	16		17
30	36		12	3	16	7	24	20	85	9	8	14
31	20		13		28		40	28		17		10
NO.:	29	22	28	30	31	30	30	31	30	31	28	26
MAX:	72.	61.	30.	101.	28.	37.	41.	59.	111.	41.	45.	49.
MEAN:	27.8	21.5	12.7	17.1	13.5	19.0	23.2	33.2	37.0	12.9	18.1	26.8
ANNUAL OBSERVATIONS:	346		ANNUAL MEAN:		21.9	ANNUAL MAX:		111.				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 2, 2019

(81102) PM10 Total 0-10um STP

SITE ID: 49-035-3013 POC: 1  
 COUNTY: (035) Salt Lake  
 CITY: (34970) Herriman  
 SITE ADDRESS: 14058 Mirabella Dr.  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (7159) SALT LAKE CITY, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.496392  
 LONGITUDE: -112.036298  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1  
 PROBE HEIGHT:

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (127) R - P Co Partisol Model 2025 Gravi

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2018

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE: 4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	15	34	5	11	7	17	20	61	36	45	8	3
2	23	16	18	21	8	22	33	48	32	13	7	3
3	28	21	7	10		19	42	37	31	6	9	6
4	45	46	2	21	16	25	49	83	47	7	7	
5	41	18	6	28	23	30	32	55	45	5	20	28
6	29	13	8	3	15	27	36	80	35	7	12	46
7	13	13	24	5	21	26	31	62	41	5	13	54
8	8	13	18	8		36	19	58	30	7	19	55
9	16	19	12		39	41	16	58	55	6	21	31
10		15	7	12	30	25	19	88	49	5	16	40
11		5	6		9	23	23	80	60	9	10	24
12		26	21	16	3	25	26	37	33	14	15	15
13	6	26	14		6	35	19	56	33	15	34	7
14	9	14	4	5	10	37	23	72	16	6	41	14
15	19	14	3	9	11	41	25	58	60	13	61	24
16	15	21	2	107	18	28	43	44	49	21	42	6
17	20	13	7	10	25	32	28	53	50	16	21	10
18	7	56	1	6	19	20	35	29	13	11	10	13
19	14	3	6	15	14	16	39	42	21	21	25	8
20	2	8	5	23	12	26	22	34	36	16	55	6
21	4	11	5	20	17	32	27	32	35	9	43	12
22	7	9	35	11	12	34	20	18	28	14	9	5
23	11	8	2	21	10	33	29	42	16	4	3	8
24	4	7	4	21	20	20	33	29	22	13	3	17
25	6	2	4	28	21	28	40	32	51	14	8	11
26	6	5	4	33	24	43	53	29	46	17	16	2
27	5	18	6	23	10	48	51	44	65		19	5
28	6	14	7	30	9	35	44	26	41		17	6
29	12			15	13	20	40	33	61		3	8
30	6		11	3	16	19	56	22	69		3	5
31	14		11		29		63	39		23		6
NO.:	28	28	30	27	29	30	31	31	29	27	30	30
MAX:	45.	56.	35.	107.	39.	48.	63.	88.	69.	45.	61.	55.
MEAN:	14.0	16.7	8.8	19.1	16.1	28.8	33.4	47.8	40.9	12.7	19.0	15.9
ANNUAL OBSERVATIONS:	350		ANNUAL MEAN:		23.0	ANNUAL MAX:		107.				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 2, 2019

(81102) PM10 Total 0-10um STP

SITE ID: 49-049-4001 POC: 2  
 COUNTY: (049) Utah  
 CITY: (45090) Lindon  
 SITE ADDRESS: 30 NORTH MAIN STREET, LINDON, UTAH  
 SITE COMMENTS: LOCATED AT LINDON ELEMENTARY SCHOOL  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (6520) PROVO-OREM, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER:  
 LATITUDE: 40.341389  
 LONGITUDE: -111.713611  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1442  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (127) R - P Co Partisol Model 2025 Gravi

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2018

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE: 4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	21		12	13	7	17	16	56	27	25	10	4
2	37	35	15	19	5	12	24	34	23	16	9	3
3	43	20	11	9	8	15	43	24	23	8	8	8
4	50	36	2	24	14	16	64	46	38	3	7	14
5	44	16		22	18	17	40	36	28	5	21	34
6	33	11		13	13	21	47	54	29	7	10	49
7	23			9	19	17	26	55	27	4	12	62
8	16	19	22	7	23	20	21	36	24	5	12	65
9	7	21	15	9	24	24	24	49	30	4	23	47
10	6	21	12	23	18	25	21	85	28	3	16	39
11	5		8	27	8	15	27	73	22	11	13	41
12	9	23	19	21	3	26	18	32	26	15	20	15
13			18	4	9	20	23	50	21	13	31	15
14	12	19	11	9	11	27	23	45	24	6	38	29
15	27	19	2	9	10	42	17	38	62	14	45	20
16	20		4	96	14	27	36	27	19	18	35	18
17	28	9	4	3	22	28	20	46	28	14	25	20
18	22	32	5	8	18	24	28	28	29	12	14	30
19	9	4	7	11	16	14	34	38	28	24	31	11
20	9		8	11	14	19	25		24	16	37	31
21	17		6	12	14	24	22	21	35	11	57	12
22			12	8	15	17	16	17	35	14	10	6
23	18	10	3	13	11	25	25	31	19	6	4	11
24	17	9	6	22	15	20	30	26	23	15	4	19
25	10		5	16	18	22	28	14	23	12	7	7
26	10	9	6	23	17	29	39	17	27	19	17	4
27	14		10	19	14	28	36	44	33	14	35	8
28	14		11	31	10	32	33	25	26	10	15	13
29	28		13	22	16	25	31	20	24	15	7	10
30	18		13	4	21	19	37	21	18	9	4	12
31	24		14		32		50	24		14		10
NO.:	29	17	28	30	31	30	31	30	30	31	30	31
MAX:	50.	36.	22.	96.	32.	42.	64.	85.	62.	25.	57.	65.
MEAN:	20.4	18.4	9.8	17.2	14.7	22.2	29.8	37.1	27.4	11.7	19.2	21.5
ANNUAL OBSERVATIONS:	348		ANNUAL MEAN:		20.9	ANNUAL MAX:		96.				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA MAX VALUES REPORT

Apr. 2, 2019

(81102) PM10 Total 0-10um STP

SITE ID: 49-057-0002 POC: 1  
 COUNTY: (057) Weber  
 CITY: (55980) Ogden  
 SITE ADDRESS: 228 32ND STREET, OGDEN, UTAH  
 SITE COMMENTS: THIS SITE REPLACES OG (490570001) WHICH WAS DEMOLISHED FOR NEW CONST.  
 MONITOR COMMENTS:

STATE: (49) Utah  
 AQCR: (220) WASATCH FRONT  
 URBANIZED AREA: (5840) OGDEN, UT  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER:  
 LATITUDE: 41.2063211134  
 LONGITUDE: -111.97552430  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 1316  
 PROBE HEIGHT: 4

SUPPORT AGENCY: (1113) Utah Department Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (127) R - P Co Partisol Model 2025 Gravi

PQAO: (1113) Utah Department Of Environmental Quality

REPORT FOR: 2018

DURATION: 24 HOUR

UNITS: Micrograms/cubic meter (25 C)

MIN DETECTABLE: 4

Day	MONTH											
	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER
1	29	27	18	15	8	11	18	46	32	41	11	7
2	28	28	27	20	8	17	22	44	28	20	10	4
3	32	54	10	11	11	17	31	36	27	10	15	7
4	34	40	2	26	15	24	102	60	30	6	12	18
5	48	16	8	22	21	24	31	51	32	7	12	15
6	35	13	14	6	19	27	40	43	35	10	7	22
7	30	26	23	5	28	31	31	35	32	4	11	38
8	21	23	32	5	20	32	24	31	35	5	14	44
9	8	34	20	12	25	38	26	40	45	8	18	31
10	12	14	15	20	18	22	32	47	38	5	22	26
11	13	14	9	25	7	17	23	55	36	11	12	25
12	15		16	11	5	21	22	41	44	17	13	17
13	19	19	28	6	7	29	27	45	43	15	23	21
14	16	59	11	10	11		23	43	38	5	34	29
15	20	10	3	14	12	31	24	34	104	13	42	32
16	20	22	5	50	18	21		28	94	19	40	30
17	31	16	5	7	20	31		65	31	14	28	34
18	35	66	2	12	14	13	27	24	27	11	13	36
19	22	6	8	21	13	7	26	36	36	16	25	18
20	3	10	12	20	15	15	26	46	26	19	24	26
21	5	16	17	20	18	24	26	44	36	15	38	18
22	18	19	28	18	13	19	14	25	31	15	19	11
23	36	10	3	21	13	25	23	52	25	9	6	16
24	32	12	6	14	17	14	47	45	24	12	7	22
25	20	5	5	14	24	18	33	43	30	12	12	9
26	16	14	7	23	25	28	29	42	22	15	21	5
27	21	16	10	22	13	29	28	33	24	15	31	9
28	20	13	9	25	13	36	38	19	28	13	28	7
29	27		19	15	13	13	34	28	56	17	11	17
30	52		16	4	17	15	30	28	76	10	7	14
31	23		16		27		39	32		12		8
NO.:	31	27	31	30	31	29	29	31	30	31	30	31
MAX:	52.	66.	32.	50.	28.	38.	102.	65.	104.	41.	42.	44.
MEAN:	23.9	22.3	13.0	16.5	15.7	22.4	30.9	40.0	38.8	12.9	18.9	19.9
ANNUAL OBSERVATIONS:	361		ANNUAL MEAN:		22.9	ANNUAL MAX:		104.				

Note: A plus sign ("+") following a value indicates that the computed average includes one or more raw data values effected by a special event.